COMMUNICATIONS RESOURCE AVAILABILITY WORKSHEET

Frequency Band	Description
Amateur	Calvert Auxcomm 04/2026 Pg. 1

Pg No	Channel Configuration	Channel Name/Trunked Radio System Talkgroup	Eligible Users	RX Freq N or W	RX Tone/NAC	TX Freq N or W	Tx Tone/NAC	Mode A, D or M	Remarks
1	1	K3CAL Mt Hope	Net Control	146.9850 W	156.7	146.3850 W	156.7	A	Calvert Primary Coordination
1	2	K3CAL Lusby	Net Control	444.9500 W	156.7	440.9500 W	156.7	A	Linked with Mt. Hope via Epipe
1	3	W3VPR	EOC/Home relay	147.0750 W	107.2	147.7050 W	107.2	A	AARC Davidsonville
1	4	W3VPR	EOC/Home relay	147.0750 W	107.2	147.6050 W	107.2	A	AARC Crownsville
1	5	W3VPR	EOC/Home relay	444.5000 W	107.2	449.5000 W	107.2	A	AARC Davidsonville
1	6	W3DZD	EOC/Home relay	146.7600 W	114.8	146.1600 W	114.8	A	Jessup, MD
1	7	K3CAL- Simplex	As assigned	146.9850 W	N/A	146.9850 W	N/A	A	Calvert Repeater Back-up
1	8	Calvert VHF 1	As assigned	146.5800 W	N/A	146.5800 W	N/A	A	Simplex use as needed
1	9	Calvert VHF 2	AS assigned	146.5950 W	N/A	146.5850 W	N/A	A	Simplex use as needed
1	10	RACES Simplex	As assigned	146.5550 W	N/A	146.5550 W	N/A	A	Simplex use as needed
1	11	Calvert UHF 1	As assigned	445.5000 W	N/A	445.5000 W	N/A	A	Simplex use as needed
1	12	N3ARN	EOC/Home relay	447.0750 W	167.9	442.0750 W	167.9	A	Aquasco- P.G. County
1	13	K3HKI	EOC/Home relay	145.3900 W	114.8	144.7900 W	114.8	A	St. Mary's County- Lex. Park
1	14	K3SMD	EOC/Home relay	146.8500 W	156.7	146.2500 W	156.7	A	St. Mary's County- Hollywood
1	15	N3JLT	WX Net Control	147.3000 W	146.2	147.9000 W	146.2	A	Bluemont- Primary Skywarn
1	16	K3HKI	EOC/Home relay	146.6400 W	146.2	146.0400 W	146.2	A	St. Mary's County
1	17	W3CU	EOC/Home relay	146.8050 W	107.2	146.2050 W	107.2	A	AACo.- Millersville
1	18	W3CU	EOC/Home relay	449.1250 W	107.2	444.1250 W	107.2	A	AACo. Millersville
1	19	W3XJ	EOC/Home relay	442.1500 W		447.1500 W		A	P.G. County- Bowie
1	20	K3ERA	EOC/Home relay	145.2300 W	110.9	144.6300 W	110.9	A	P.G. County Primary Coord.

The convention calls for frequency lists to show four digits after the decimal place, followed by either an "N" or a "W", depending on whether the frequency is narrow or wide band. Mode refers to either "A" or "D" indicating analog or digital (e.g. Project 25) or "M" indicating mixed mode. All channels are shown as if programmed in a control station, mobile or portable radio. Repeater and base stations must be programmed with the Rx and Tx reversed.

COMMUNICATIONS RESOURCE AVAILABILITY WORKSHEET

Frequency Band: Amateur

Description: Calvert Auxcomm 04/2026 Pg. 2

Pg No	Channel Configuration	Channel Name/Trunked Radio System Talkgroup	Eligible Users	RX Freq N or W	RX Tone/NAC	TX Freq N or W	Tx Tone/NAC	Mode A, D or M	Remarks
2	21	W3SMR	EOC/Homerelay	145.1500 W	114.8	144.5500 W	114.8	A	P.G. County- Brandywine
2	22	Barstow Crossband	EOC/Home relay	439.8625 W	118.8	439.8625 W	118.8	A	Crossband use only
2	23	N3PPH	EOC/Home relay	145.3500 W	156.7	144.7500 W	156.7	A	St. Mary's County- Hollywood
2	24	N3NO	EOC/Home relay	147.1950 W	156.7	147.7950 W	156.7	A	St. Mary's County- Hollywood
2	25	K3DRC	EOC/Home relay	146.8200 W	156.7	146.2200 W	156.7	A	Salisbury Eastern Net
2	26	W3PRO	EOC/Home relay	146.9250 W	156.7	146.3250 W	156.7	A	Salisbury Net Back-up
2	27	KB3CMA	EOC/Home relay	442.3000 W	107.2	447.3000 W	107.2	A	AACo.- Broad Creek/Annapolis
2	28	K3EMD	EOC/Home relay	147.0450 W	156.7	147.6450 W	156.7	A	Talbot County- Trapp, MD
2	29	K3HKI	EOC/Home relay	147.3900 W	123.0	147.9900 W	123.0	A	St. Mary's County- RACES
2	30	K3HKI	EOC/Home relay	443.3000 W	123.0	448.3000 W	123.0	A	St. Mary's County- Leonardtown
2	31	WA3UMY	EOC/Home relay	443.0500 W	88.5	448.0500 W	88.5	A	St. Mary's County- Lex. Park
2	32	KF4AH	EOC/Home relay	146.8950 W	110.9	146.2950 W	110.9	A	Montrose, VA
2	33	W4KGC	EOC/Home relay	147.7450 W	107.2	147.1450 W	107.2	A	King George County, VA
2	34	N3FI	As assigned	443.7000 W	179.9	448.7000 W	179.9	A	Barstow, MD
2	35	Winlink	Digital Stations	145.7500 W	N/A	145.7500 W	N/A	D	Various WL2K Gateways
2	36	K3CAL-1 Digipeater	Digital Stations	145.0700 W	N/A	145.0700 W	N/A	D	Pr. Fred.- Links with KB2SKP-12
2	37	K3CAL-2 Digipeater	Digital Stations	145.0300 W	N/A	145.0300 W	N/A	D	Lusby- Links with KC3WRX-10
2	38	KC3WRX-10	Digital Stations	145.0300 W	N/A	145.0300 W	N/A	D	WL2K Packet/Vara FM Gateway
2	39	W3CBW-10	EOC/Home relay	145.7100 W	N/A	145.7100 W	N/A	D	WL2K Packet- Riesterstown, MD
2	40	P2P-1	As assigned	144.9100 W	N/A	144.9100	N/A	M	As needed

The convention calls for frequency lists to show four digits after the decimal place, followed by either an "N" or a "W", depending on whether the frequency is narrow or wide band. Mode refers to either "A" or "D" indicating analog or digital (e.g. Project 25) or "M" indicating mixed mode. All channels are shown as if programmed in a control station, mobile or portable radio. Repeater and base stations must be programmed with the Rx and Tx reversed.

COMMUNICATIONS RESOURCE AVAILABILITY WORKSHEET

Frequency Band: Amateur

Description: Calvert Auxcomm 04/2026 Pg.3

Pg No	Channel Configuration	Channel Name/Trunked Radio System Talkgroup	Eligible Users	RX Freq N or W	RX Tone/NAC	TX Freq N or W	Tx Tone/NAC	Mode A, D or M	Remarks
3	41	P2P-2	As Assigned	144.9300 W	N/A	144.9300 W	N/A	M	Used as needed
3	42	P2P-3	As Assigned	144.9500 W	N/A	144.9500 W	N/A	M	Used as needed
3	43	P2P-4	As Assigned	144.9700 W	N/A	144.9700 W	N/A	M	Used as needed
3	44	P2P-5	As Assigned	144.9900 W	N/A	144.9900 W	N/A	M	Used as needed
3	45	P2P-6	As Assigned	145.0100 W	N/A	145.0100 W	N/A	M	Used as needed
3	46	P2P-7	As Assigned	144.9000 W	N/A	144.9000 W	N/A	M	Used as needed
3	47	P2P-8	As Assigned	145.0500 W	N/A	145.0500 W	N/A	M	Used as needed
3	48	P2P-9	As Assigned	145.1000 W	N/A	145.1000 W	N/A	M	Used as needed
3	49	P2P-10	As Assigned	445.5500 W	N/A	445.550 W	N/A	M	Used as needed
3	6M VHF	W3PQS	As Assigned	53.1700 W	100.0	52.1700 W	100.0	A	Used as needed
3	HF	Calvert HF Simplex	As Assigned	28.3500	N/A	28.3500	N/A	USB	Used as needed
3	HF	Calvert MT63 2000L	As Assigned	28.1100	N/A	28.1100	N/A	USB	Used as needed
3	6M VHF	Calvert MT63 2000L	As Assigned	51.6500	N/A	51.6500	N/A	USB	Used as needed
3	HF	Md Emer. Phone Net	As Assigned	3.8200	N/A	3.8200	N/A	LSB	Used as needed
3	GMRS	Calv650	All licensed Users	462.6500 W	110.9	467.6500 W	110.9	A	Perrsonal/Family Coord.

The convention calls for frequency lists to show four digits after the decimal place, followed by either an “N” or a “W”, depending on whether the frequency is narrow or wide band. Mode refers to either “A” or “D” indicating analog or digital (e.g. Project 25) or "M" indicating mixed mode. All channels are shown as if programmed in a control station, mobile or portable radio. Repeater and base stations must be programmed with the Rx and Tx reversed.